




# Science Designed to Provide Endless Possibility

September 2024

Sutro Biopharma  
NASDAQ: STRO



# Forward-Looking Statements


This presentation and the accompanying oral presentation contain “forward-looking” statements that are based on our management’s beliefs and assumptions and on information currently available to management. Forward-looking statements include all statements other than statements of historical fact contained in this presentation, including information concerning our future financial performance; business plans and objectives; anticipated preclinical and clinical development activities, including enrollment and site activation; timing of announcements of clinical results, trial initiation, and regulatory filings; outcome of regulatory decisions; our expectations about our cash runway; potential benefits of Iuvella and our other product candidates and platform; potential expansion into other indications and combinations, including the timing and development activities related to such expansion; potential growth opportunities, financing plans, potential future milestone and royalty payments, competitive position, industry environment and potential market opportunities for our product candidates.

Forward-looking statements are subject to known and unknown risks, uncertainties, assumptions and other factors, including risks and uncertainties related to our cash forecasts, our and our collaborators’ ability to advance our product candidates, the receipt, feedback and timing of potential regulatory submissions, designations, approvals and commercialization of product candidates and the design, timing and results of preclinical and clinical trials and our ability to fund development activities and achieve development goals. It is not possible for our management to predict all risks, nor can we assess the impact of all factors on our business or the extent to which any factor, or combination of factors, may cause actual results to differ materially from those contained in any forward-looking statements we may make. These factors, together with those that may be described in greater detail under the heading “Risk Factors” contained in our most recent Annual Report on Form 10-K, Quarterly Report on Form 10-Q and other reports the company files from time to time with the Securities and Exchange Commission, may cause our actual results, performance or achievements to differ materially and adversely from those anticipated or implied by our forward-looking statements.

You should not rely upon forward-looking statements as predictions of future events. Although our management believes that the expectations reflected in our forward-looking statements are reasonable, we cannot guarantee that the future results, levels of activity, performance or events and circumstances described in the forward-looking statements will be achieved or occur. Moreover, neither we nor our management assume responsibility for the accuracy and completeness of the forward-looking statements. We undertake no obligation to publicly update any forward-looking statements for any reason after the date of this presentation to conform these statements to actual results or to changes in our expectations, except as required by law.

This presentation also contains estimates and other statistical data made by independent parties and by us relating to market size and growth and other data about our industry. This data involves a number of assumptions and limitations, and you are cautioned not to give undue weight to such estimates. In addition, projections, assumptions, and estimates of our future performance and the future performance of the markets in which we operate are necessarily subject to a high degree of uncertainty and risk.

# Next-Generation ADCs and Biologics, Transforming Science for Patients



# Sutro Pipeline Drives Broad Potential with Multiple Near-Term Catalysts

## Luvelta FR $\alpha$ -targeting ADC with Two Complementary Registrational Trials

### Ovarian Cancer (Fast Track Designation)

- Registrational study underway
  - REFR $\alpha$ ME Part 1 – Enrollment Complete
  - REFR $\alpha$ ME Part 2 – Ongoing
- Bevacizumab-luvelta combo
  - Data from dose escalation cohort to be presented at ESMO 2024
  - Data from expansion cohort expected 1H 2025

### CBF/GLIS2 Pediatric AML (Orphan Drug & Rare Pediatric Disease Designation)

- Registrational study planned to start 2H 2024

## Additional Luvelta Opportunities and Next-Generation ADC Pipeline

### Luvelta for Non-Small Cell Lung Cancer

- Phase 2 first patient planned to enroll for 2H 2024
- Initial data expected 1H 2025

### Luvelta Additional Indications

- Endometrial cancer – evaluating patient expansion through IST

### STRO-004 (Tissue Factor-targeting ADC)

- Phase 1 IND targeted 2025

Additional Pre-Clinical Programs with 3 additional INDs expected in the next 3 years

# Partnerships Provide up to ~\$3 Billion Potential Future Milestones plus Royalties



Phase 2/3 vaccines  
for invasive  
pneumococcal disease

0.7M shares + up to  
\$60M in milestones +  
WW royalties on potential  
non-PCV future product  
candidates

**Blackstone**

Blackstone purchase of  
4% royalties on potential  
future net sales of  
Vaxcyte PCV products

Up to \$250M in potential  
payments tied to various  
return thresholds



Phase 1 IL-2 cytokine  
derivative for cancer

Up to ~\$500M in  
milestones + WW  
royalties



STRO-003 (ROR1 ADC)  
preclinical program for  
solid tumors and  
hematological  
malignancies

Up to ~\$824M in  
milestones + WW  
royalties



Preclinical  
immunostimulatory ADCs

Up to ~\$423M in  
milestones per product  
candidate + WW royalties  
+ U.S. profit sharing  
option




Exclusive license to  
luvelta in Greater China

Up to ~\$355M in  
milestones + 10-year  
royalties on sales in  
Greater China




# STRO-002

## Luveltamab Tazevibulin (Luvelta)



# Luvelta: Deliberate Design + Development Enables Pipeline-in-a-Drug Opportunity

## Precisely Designed ADC to Expand Patient Access



## Potential to Address Multiple FR $\alpha$ Expressing Cancers, Including those with Low Expression Levels


- Promising clinical activity in all indications evaluated, potentially addressing tumors with low-medium FR $\alpha$  expression
- Enrolling REFR $\alpha$ ME registrational trial for ovarian cancer; potential to be 1st therapy for low-medium expressing patients
- Complementary registrational trial for pediatric AML
- Multiple follow-on opportunities for clinical development

Source: Modified from Dumontet, C et al., Nat Rev Drug Discov 2023; 22, 641–661.

# Significant Opportunities, Initially in Ovarian and Expanding to Additional FR $\alpha$ Expressing Cancers

## Luvelta Potentially Doubles the Addressable PROC Patients

Percent of Ovarian Cancer Patients Eligible for Therapy<sup>1</sup>



## Estimated Annual Incidence in FR $\alpha$ -Expressing Patient Populations (U.S., Europe and Japan)

Ovarian  
~69K

Endometrial  
~71K

NSCLC,  
Adenocarcinoma  
~108K

Pediatric AML  
with CBF/GLIS2 AML  
mutation  
~100 per market

PROC: Platinum Resistant Ovarian Cancer

1 – Luvelta eligibility based on TPS level in REFRA trial; FDA Approved ADC eligibility based on TPS level in Elahere approved label

2 – AbbVie ImmunoGen Acquisition - Slides on the AbbVie IR website, November 30, 2023

FR $\alpha$  expression assumptions for ovarian:  $\geq 25\%$  TPS (80% of pts, internal data); endo:  $\geq 25\%$  TPS (41% of pts<sup>8</sup>); NSCLC:  $\geq 1\%$  TPS (30% of pts, internal data). **Sources:** 1. Sutro internal estimates, data on file. 2. DRG reports. 3. Cancer Statistics in Japan 2023 ganjoho.jp. 4. SEER data and data explorer. 5. American Cancer Society Cancer Facts and Figures, 2023. 6. Deloitte Consulting & IQVIA custom projects for Sutro, 2022. 7. European Cancer Information System (ECIS), accessed Dec 2023. 8. Brown Jones M, et al., Int J Cancer. 2008 Oct 1;123(7):1699-703. 9. Eidenschink Brodersen L, et al. Leukemia. 2016;30(10):2077-2080. 10. Smith, JL et al. Clinical Cancer Research. vol. 26,3 (2020): 726-737.

# Opportunity to be First Therapy for Broad PROC Patient Population

## Treatment Eligibility is Driven by FRα Biomarker Test

Luvelta has demonstrated clinical activity in PROC patients with FRα  $\geq 25\%$

Both Luvelta and FDA-approved ADC test patient FRα levels via Ventana validated assay

Due to high frequency of testing of FRα in OC, patient expression level may be known prior to developing platinum resistance

Luvelta addresses low and medium FRα expression ( $\geq 25\%$  TPS with any intensity) that currently receive chemotherapy, while approved ADC is limited to high expressing FRα ( $\geq 75\%$  TPS with PS 2+, 3+)


## Comparison of Potential Luvelta Population with Approved ADC Population

| TPS       | Staining Intensity 1+        | Staining Intensity 2+ | Staining Intensity 3+ |
|-----------|------------------------------|-----------------------|-----------------------|
| 0 - <25%  | Chemo                        | Chemo                 | Chemo                 |
| 25 - <50% | Potential Luvelta Population |                       |                       |
| 50 - <75% |                              |                       |                       |
| 75 - 100% |                              |                       |                       |
|           | Approved ADC Population      |                       |                       |
|           | ~80%                         |                       |                       |
|           | ~35%                         |                       |                       |

Sources: 1. ImmunoGen Third Quarter 2023 Financial Results, Nov 2023. 2. Jun 2023 ASCO oral presentation “Luveltamab tazevibulin (STRO-002), an anti-folate receptor alpha (FolRα) antibody drug conjugate (ADC), safety and efficacy in a broad distribution of FRα expression in patients with recurrent epithelial ovarian cancer (OC): Update of STRO-002-GM1 phase 1 dose expansion cohort.”.

# Registrational Strategy Supported by Clinical Data from ~100 Patients

Maximum Reduction in Tumor Target Lesions in RECIST-Evaluable Patients (N=92 Evaluable)





Data as of Nov 8, 2023.

Starting dose, Q3W

≤ 2.9 mg/kg    4.3 mg/kg    5.2 mg/kg    ≥ 5.6 mg/kg

# Luvelta Demonstrated Compelling Anti-Tumor Activity and Tolerable Safety Profile



# Manageable Safety Profile with Low Discontinuation Rates, Consistent Across Indications

## Treatment Emergent Adverse Events of Note Were Predictable and Manageable

### Neutropenia\*

- Primarily uncomplicated (febrile neutropenia < 5%)
- Well managed with G-CSF usage
- Led to discontinuation in 1.5% of patients

### Arthralgia

- Managed conservatively
- Led to discontinuation in 1.5% of patients

### Peripheral Neuropathy\*\*

- Expected event with microtubule inhibitor ADCs (pre-existing and on study)
- Actively managed with protocol-specified conservative management
- Led to discontinuation in 2.9% of patients

1 death was reported as resulting from febrile neutropenia with concurrent SAEs of septic shock, pancytopenia, and acute respiratory failure; all assessed as related to luvelta (Grade 5 event: Probably, luvelta related)



\* Neutropenia included the following preferred terms: neutropenia, febrile neutropenia, and neutrophil count decreased.

\*\* Neuropathy included the following preferred terms: neuropathy peripheral and peripheral sensory neuropathy.

Data as of Nov 8, 2023

Source: Internal Sutro data on file


# Use of Prophylactic G-CSF on Day 8 with Higher 5.2mg/kg Dose Demonstrated Effective Reduction of Neutropenia



1 - Cohort A patients dosed with Luvelta 5.2mg/kg.  
2 - Cohort with G-CSF patients started at Luvelta 5.2mg/kg + prophylactic pegfilgrastim on Day 8  
Data as of Nov 08, 2023 Sources: Internal Sutro data on file.

# REFRαME-O1: Registration-directed Study for patients with PROC

- **Part 1** – Fully enrolled (50 patients) in April 2024; patients now in follow up
- **Part 2** – Trial Open and Enrolling patients



Sources: clinicaltrials.gov NCT05870748. Internal Sutro data on file.


# REFRαME-P1: Addressing Unmet Patient Need + Accelerating PROC

- Pediatric RAM AML – devastating disease impacting infants and toddlers: overall survival of 15-30%
- Regulatory submission requirements in U.S. and Europe may be applicable for PROC submissions
- Potential to receive priority review voucher upon FDA approval and increase commercial readiness for PROC
- May extend Iuvelta exclusivity
- Additional proof-of-concept for Iuvelta's ability to address low FRα expressing disease
- Registrational study planned to start 2H 2024



Sources: clinicaltrials.gov NCT05870748. Internal Sutro data on file.

# Luvelta Plus Bevacizumab Combination Supports Potential All-Comers Approach



### Phase 2 Expansion Cohort

- Ongoing, including PSOC & PROC
- All-comers trial – no FRα expression cut-off
- 4.3 mg/kg dose
- Data anticipated in 1H25

Next Update from Phase 1b Trial  
ESMO September 2024

1 – Luvelta Forum was January 4, 2024. Data as of Aug 4, 2023. Includes 3.5, 4.3 and 5.2 mg/kg doses.  
Source: Internal Sutro data on file.

# No New Safety Signals Observed in Luvelta Plus Bevacizumab Combination

## TEAEs (N=18)

| Preferred Term                        | Grade 3+    |
|---------------------------------------|-------------|
| Patients reporting at least one event | 12 (66.7%)  |
| Neutropenia*                          | 7 (38.9%) ‡ |
| Nausea                                | 1 (5.6%)    |
| Constipation                          | 1 (5.6%)    |
| Abdominal pain                        | 1 (5.6%)    |
| Asthenia                              | 2 (11.1%) ‡ |
| Thrombocytopenia                      | 1 (5.6%)    |
| Vomiting                              | 1 (5.6%)    |
| Decreased appetite                    | 1 (5.6%)    |

## SAEs (N=18)

| Preferred Term | Grade 3+  |
|----------------|-----------|
| Abdominal pain | 1 (5.6%)  |
| Sepsis         | 2 (11.1%) |
| Hyponatremia   | 2 (11.1%) |

2 subjects experienced grade 5 sepsis events:

- Considered unrelated to luvelta and bevacizumab by PI (sponsor determined that the contributing role of luvelta could not be excluded and upgraded the causality assessment to possibly related.)
- Attributed to malignant bowel perforation caused by disease progression

\* Neutropenia included the following preferred terms: neutropenia, febrile neutropenia, and neutrophil count decreased.

‡ Most common Grade 3+ TEAEs

Source: Internal Sutro data on file.

## Common AEs Effectively Managed by Investigators

### Neutropenia

- Primarily uncomplicated (no TEAEs of febrile neutropenia)
- Managed with G-CSF usage
- Led to discontinuation in 5.6% of patients

### Arthralgia

- Managed conservatively
- No discontinuation of patients due to Arthralgia

### Peripheral Neuropathy

- Expected event with microtubule inhibitor ADCs (pre-existing and on study)
- Managed conservatively
- Led to discontinuation in 11.1% of patients

# Luvelta Demonstrated Compelling Anti-Tumor Activity and Manageable Safety Profile In Lower and/or Variable FRα Expression Tumors

## Endometrial

N = 17

- ✓ Evidence of anti-tumor activity
- ✓ No new safety signals observed
- ✓ Continuing clinical development

## RAM AML<sup>1</sup>




N = 25

- ✓ Meaningful clinical responses, including complete remission and prolonged overall survival
- ✓ Well tolerated and can be given as out-patient
- ✓ Positioned for registration-enabling trial

## NSCLC

Preclinical


- ✓ Single dose and combination with PD-1 blockade demonstrated anti-tumor activity
- ✓ IND cleared; Phase 2 trial expected 2H 2024



Data cutoff: 04 August 2023. \*n=16 response evaluable patients. PR, partial response; TPS, tumor proportion score. 1 - These data were generated by the treating physicians and collected and enabled for presentation by Sutro.

**Endometrial source:** Oct 2023 ESMO mini-oral presentation “741MO - Luveltamab tazevibulin (STRO-002), an anti-folate receptor alpha (FolRα) antibody drug conjugate (ADC), demonstrates clinical activity in recurrent/progressive epithelial endometrial cancer (EEC): STRO-002-GM1 phase I dose expansion.” **RAM AML source:** Dec 2023 ASH poster “Anti-leukemic Activity of Luveltamab Tazevibulin (LT, STRO-002), a Novel Folate Receptor-α (FR-α)-targeting Antibody Drug Conjugate (ADC) in Relapsed/Refractory CBFA2T3::GLIS2 AML.” **NSCLC source:** Internal Sutro preclinical data on file.

# FR $\alpha$ is Broadly Expressed Across Multiple Indications



## Key Opportunities for Luvelta

Demonstrated **clinical activity across multiple** indications


Potential to show activity in **tumors with** varying levels of FR $\alpha$  expression, covering a broad range of opportunities

**Pipeline-in-a-product potential:** FR $\alpha$  is expressed in solid and hematological tumors

Source: Cheung et al. "Targeting folate receptor alpha for cancer treatment." Oncotarget. 2016; 7: 52553-52574.



**Research Portfolio – Poised  
to Generate 3 INDs Over the  
Next 3 Years**




# Exclusive Global Licensing Agreement with Ipsen for STRO-003

## ROR1 Exatecan ADC



### Novel, Conjugation Site-Optimized ROR1 ADC



### Licensing Agreement Details

Effective April 2024





- Ipsen secures **exclusive global rights** for development and commercialization of STRO-003
- ~**\$90M** in potential near-term payments
- Potential for **up to ~\$900M** in upfront, equity investments, development, regulatory and commercial milestone payments
- Low double digit to mid-teen digit tiered royalties on global sales, with approval

### STRO-003

- Targets ROR1, a clinically validated, highly stable ADC target-with a specifically selected exatecan payload and a strongly differentiated profile, achieving a consistent Drug-Antibody Ratio (DAR) of eight
- Has shown robust monotherapy efficacy and potential for a differentiated safety profile in preclinical development in solid tumors and hematological malignancies

# Sutro Well-Positioned to Lead Development of Next-Generation ADCs

## Conjugated Antibody

| MODALITY        | <i>ADC / ISAC</i>                                                                                  | <i>iADC / ADC<sup>2</sup></i>                                                                      | <i>Bispecific ADC</i>                                                                                      |
|-----------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| TARGET          | <br>Tumor Antigen | <br>Tumor Antigen | <br>Dual Tumor Antigens |
| STRUCTURE       |                   |                   |                         |
| DRUG PROPERTIES | Novel payloads for better targeting                                                                | Site-specific dual drug conjugate with complementary modalities                                    | Enhanced tumor targeting with cytotoxic payloads                                                           |

### 1. Mono- or Bispecific TAA Targeting


#### Toolkit of Fit-to-Purpose Linker-Payloads

- DNA targeting / tubulin targeting cytotoxins
- Immune modulators
- Other mechanistically synergistic payloads
- Proprietary cleavable / non-cleavable linkers

### 2. Single or Dual Conjugations of Different Mechanisms

➡ Our ADC process delivers optimized and consistent candidates, designed to benefit broader patient populations and provide a solution for unwanted ADC class effects

# Sutro's Innovative Approach to Future ADC Development




\*Unique advantage of non-natural amino acid incorporation by Cell-free XpressCF®

# New Modality for Cold Tumors: Immunostimulatory Antibody Drug Conjugate (iADC)

## Strategic iADC Collaboration



- Combining a cytotoxin and immune modulator enabled by Sutro's dual drug conjugation technology
- Sutro has **option** to share **costs/profits** for U.S. product development
- Sutro retained option to **develop iADCs outside of/beyond this collaboration** in other targets
- Two collaboration programs have been initiated to date



# Express Cell-free Platform - Commercial GMP Scale Enabled in 2024

| Approach / Feature                                                               | Advantages                                                                                                                                                                                            | Results                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cell-free extract and platform elements <b>produced separately from proteins</b> | <ul style="list-style-type: none"><li>• Stockpiled cell-free extract used to create a wide variety of proteins</li><li>• Eliminates cell line development and cell banking for each product</li></ul> | <ul style="list-style-type: none"><li>➤ Fully folded, active mAbs with optimally located non-natural amino acid sites to enable highly site-specific conjugation and desirable pharmacological profile</li><li>➤ External CDMO network established for our platform technology, Luvelta and the production of future products</li></ul> <p>Over 3,000 patients have been treated to-date with biologics made using our cell-free technology</p> |
| Cell-free production readily scalable from research through commercial           | <ul style="list-style-type: none"><li>• Predictable and rapid scalability</li><li>• Fast production minimizes time-in-plant</li></ul>                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Non-natural amino acids enable <b>simple conjugation chemistry</b>               | <ul style="list-style-type: none"><li>• High-yield, high-fidelity conversion of mAb to site-specific ADC (or iADC, ADC<sup>2</sup>, etc.)</li></ul>                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Faster discovery cycle times                                                     | <ul style="list-style-type: none"><li>• Express, test, assess and characterize many variants during discovery to optimize for the clinic</li></ul>                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

# Well Capitalized with Strong Business Development Track Record



~\$426M <sup>(1)</sup>

in cash, cash equivalents &  
marketable securities and  
Vaxcyte common stock



~0.7M shares of  
Vaxcyte

(Nasdaq: PCVX) Jun 30, 2024 value  
included in above \$ amount



~\$970M <sup>(2)</sup>

Funding generated from our  
collaborators

1. Based on cash, cash equivalents and marketable securities and the estimated value of Vaxcyte common stock held by Sutro as of June 30, 2024.
2. Includes payments and equity investments received through June 30, 2024.

# Potential for Broad Patients Benefits with Significant Upcoming Milestones

| PROGRAM                                             | MODALITY/TARGET                      | INDICATION                                 | DISCOVERY | PRECLINICAL | PHASE 1/1B | PHASE 2 | PHASE 3/<br>REGISTRATIONAL | WORLDWIDE OR<br>GEOGRAPHIC<br>PARTNER   |              |
|-----------------------------------------------------|--------------------------------------|--------------------------------------------|-----------|-------------|------------|---------|----------------------------|-----------------------------------------|--------------|
| SUTRO-LED PROGRAMS                                  |                                      |                                            |           |             |            |         |                            |                                         |              |
| Luveltamab<br>tazevibulin<br>(Luvelta,<br>STRO-002) | FRα Antibody-Drug<br>Conjugate (ADC) | Ovarian Cancer                             |           |             |            |         |                            | <br>天士力生物<br>(Greater China Rights)     |              |
|                                                     |                                      | Ovarian Cancer<br>(bevacizumab combo)      |           |             |            |         |                            |                                         |              |
|                                                     |                                      | Endometrial Cancer                         |           |             |            |         |                            |                                         |              |
|                                                     |                                      | CBF/GLIS2 Pediatric<br>AML                 |           |             |            |         |                            |                                         |              |
|                                                     |                                      | NSCLC                                      |           |             |            |         |                            |                                         |              |
| STRO-004                                            | Tissue Factor ADC                    | Solid Tumors                               |           |             |            |         |                            |                                         |              |
| PARTNER PROGRAMS                                    |                                      |                                            |           |             |            |         |                            |                                         |              |
| VAX-24                                              | 24-Valent Conjugate<br>Vaccine       | Invasive<br>Pneumococcal<br>Disease        |           |             |            |         |                            | <br>VAXCYTE<br><i>protect humankind</i> |              |
| VAX-31                                              | 31-Valent Conjugate<br>Vaccine       | Invasive<br>Pneumococcal<br>Disease        |           |             |            |         |                            |                                         |              |
| MK-1484                                             | Selective IL-2<br>Agonist            | Advanced or<br>Metastatic<br>Solid Tumors  |           |             |            |         |                            |                                         | <br>MERCK    |
| STRO-003                                            | ROR1 ADC                             | Solid Tumors &<br>Hematological<br>Cancers |           |             |            |         |                            |                                         | <br>IPSEN    |
| Undisclosed<br>Programs                             | Immunostimulatory<br>ADCs (iADCs)    | Cancers                                    |           |             |            |         |                            |                                         | <br>astellas |

# Experienced Leadership Team



**William Newell, JD**  
Chief Executive Officer and  
Member of the Board of Directors



**Anne Borgman, MD**  
Chief Medical Officer



**Barbara Leyman, PhD**  
Chief Business Development Officer



**Ed Albini, MBA**  
Chief Financial Officer



**Hans-Peter Gerber, PhD**  
Chief Scientific Officer



**Jane Chung, RPh**  
President and  
Chief Operating Officer



**Linda Fitzpatrick**  
Chief People and  
Communications Officer



**Venkatesh Srinivasan, PhD**  
Chief Technical Operations Officer

